

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11124	((726/2-5) or (726/17) or (726/18) or (726/21) or (726/27) or (726/30) or (710/28) or (710/33) or (713/150) or (713/155) or (713/161) or (713/168) or (713/169) or (713/176) or (713/180) or (713/182) or (713/183) or (713/184) or (713/186) or (713/189) or (711/5) or (711/100) or (711/105) or (711/115) or (711/163) or (380/201) or (380/228) or (380/229) or (380/232) or (380/241) or (380/255) or (380/258) or (380/277) or (380/278) or (380/281-285) or (380/45)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:21
L2	10441	l1 and (portion\$1 block\$1 module\$1 slot\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:21
L3	2288	(random\$8) near5 (portion\$1 block\$1 module\$1) near3 (key\$1 data content\$1 packet\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:36
L4	302	l2 and l3	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:23
L5	115512	(subscrib\$4 subscription\$1 registration\$1 register\$4 enroll\$5) near3 (data\$1 information\$1 authenticat\$4 authori\$8 password\$1 biometric\$1 fingerprint\$3 pin)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:26
L6	114	l4 and l5	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:26
L7	98	l6 and (network\$3 lan wan remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:46
L8	35555	(network\$3 lan wan remote\$2) near3 (storage\$1 database\$1 depositor\$3)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:49
L9	20	l7 and l8	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:30
L10	1853	(network\$3 lan wan remote\$2) with (storage\$1 database\$1 depositor\$3) with l5	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:35
L11	14617	(random\$8 distribut\$4 split\$3 divid\$3 division\$1) near5 (portion\$1 block\$1 module\$1) near3 (key\$1 data content\$1 packet\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:29

EAST Search History

L12	43	l10 and l11	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:30
L13	1275	((plural\$5 many two three more multipl\$7) near4 (storage\$1 database\$1 depositor\$3)) near5 l5	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:41
L14	671	l13 and ((portion\$1 block\$1 module\$1) near3 (key\$1 data content\$1 packet\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:36
L15	308	l14 and (network\$3 lan wan remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:36
L16	2077	((plural\$5 many two three more multipl\$7) near4 (storage\$1 database\$1 depositor\$3)) near5 ((portion\$1 block\$1 module\$1) near3 (key\$1 data content\$1 packet\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:38
L17	62	l13 and l16	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:38
L18	2	l17 and ((private\$2 secret\$1 secure) near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:38
L19	9512	((plural\$5 many two three more multipl\$7 different\$1) near6 (storage\$1 database\$1 memor\$3 depositor\$3)) near8 ((portion\$1 block\$1 module\$1) near3 (key\$1 data content\$1 packet\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:44
L20	140	((plural\$5 many two three more multipl\$7 different\$1) near6 (storage\$1 database\$1 memor\$3 depositor\$3)) near8 ((portion\$1 block\$1 module\$1) near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:48
L21	9399	((plural\$5 many two three more multipl\$7 different\$1) near6 (storage\$1 database\$1 memor\$3 depositor\$3)) near8 ((portion\$1 block\$1 module\$1) near3 (data content\$1 packet\$1))	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:48
L22	27	l20 and l21	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:44
L23	12	l22 and (network\$3 lan wan remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:46
L24	26847	((portion\$1 block\$1 module\$1) near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:49
L25	1457	l11 and l24	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:49

EAST Search History

L26	226	l25 and ((network\$3 lan wan remote\$2) near3 (storage\$1 database\$1 depositor\$3 memor\$4))	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:50
L27	119	l26 and l5	USPAT; IBM_TDB	OR	OFF	2006/10/16 12:50